

**Exam Number/Code:**1Z0-034

**Exam Name:** Upgrade Oracle9i/10g  
OCA to Oracle  
Database 11g OC

**Version:** Demo

QUESTION:1

Which two statements are true about setting the FAST\_START\_MTTR\_TARGET initialization parameter to a nonzero value?

- A. The MTTR advisor will be disabled.
- B. Automatic checkpoint tuning will be enabled.
- C. The value for the LOG\_CHECKPOINT\_INTERVAL initialization parameter will be override the value for FAST\_START\_MTTR\_TARGET.
- D. The time taken to recover the instance after the crash is always exactly the same as the value given for the FAST\_START\_MTTR\_TARGET initialization parameter.

Answer: B,C

QUESTION:2

You have set the value of the NLS\_TIMESTAMP\_TZ\_FORMAT parameter to YYYY-MM-DD. The default format of which two data types would be affected by this setting?

- A. DATE
- B. TIMESTAMP
- C. INTERVAL YEAR TO MONTH
- D. INTERVAL DAY TO SECOND
- E. TIMESTAMP WITH LOCAL TIME ZONE

Answer: B,E

QUESTION:3

Which two statements are true regarding the functionality of the remap command in ASMCMD?

- A. It repairs blocks that have read disk I/O errors.
- B. It checks whether the alias metadata directory and the file directory are linked correctly.
- C. It repairs blocks by always reading them from the mirror copy and writing them to the original location.
- D. It reads the blocks from a good copy of an ASM mirror and rewrites them to an alternate location on disk if the blocks on the original location cannot be read properly.

Answer: A,D

QUESTION:4

What happens when you run the SQL Tuning Advisor with limited scope?

- A. Access path analysis is not performed for SQL statements.
- B. SQL structure analysis is not performed for SQL statements.
- C. SQL Profile recommendations are not generated for SQL statements.
- D. Staleness and absence of statistics are not checked for the objects in the query supplied to the SQL Tuning Advisor.

Answer: C

QUESTION:5

Which options would you consider while configuring a flash recovery area (fast recovery area in 11g Release 2) for your production database that is running in ARCHIVELOG mode? (Choose all that apply.) (Choose all that apply.)

- A. setting the FAST\_START\_MTTR\_TARGET to set the mean time to recover
- B. setting the RECOVERY\_PARALLELISM parameter to twice the number of CPUs
- C. using the DB\_RECOVERY\_FILE\_DEST parameter to set the location for flash recovery area
- D. using the DB\_RECOVERY\_FILE\_DEST\_SIZE parameter to define the disk space limit for the recovery files created in the flash recovery area.

Answer: C,D

QUESTION:6

Examine the following RMAN command:

```
RMAN> CONFIGURE ENCRYPTION FOR DATABASE ON; RMAN> BACKUP DATABASE PLUS ARCHIVELOG;
```

Which prerequisite must be met before accomplishing the backup?

- A. Provide a password for the encryption.
- B. Set up an Oracle wallet for the encryption.
- C. No setup is required as it is a default encryption method.
- D. Both Oracle wallet and password must be set up for the encryption.

Answer: B

Explanation:

[http://download.oracle.com/docs/cd/B28359\\_01/backup.111/b28270/rcmconfa.htm](http://download.oracle.com/docs/cd/B28359_01/backup.111/b28270/rcmconfa.htm) To configure the environment so that all RMAN backups are encrypted: Set up the Oracle wallet as explained in Oracle Database Advanced Security Administrator's Guide.

Issue the following RMAN command:

```
CONFIGURE ENCRYPTION FOR DATABASE ON;
```

At this stage, all RMAN backup sets created by this database will use transparent encryption by default

QUESTION:7

Examine these Data Pump commands to import objects to non-existent users hr1 and oe1.

```
S expdp system/manager
```

```
Schemas =hr,oe
```

```
directory =EXP_ DIR
```

```
include = table
```

```
$ impdp system/manager
```

```
Schemas = hr1,oe1
```

```
Directory = EXP_ DIR
```

```
Dumpfile = export.dat
```

```
Remap_schema =hr:hr1,oe :oe1
```

What would be achieved by running the above commands?

- A. expdp will fail because no path has been defined for the dumpfile.
- B. expdp will succeed but Impdp will fail because users do not exist.
- C. impdp will create two users called hrl and oe1 and import all objects to the new schemas
- D. impdp will create two users called hrl and oe1 and import tables owned by hr and oe schemas to hr1 and oe1 schemas, respectively.

Answer: B

QUESTION:8

The database is configured in ARCHIVELOG mode and regular complete database backups are taken. The loss of which two types of files may require a recovery with the RESETLOGS option?

- A. Control files
- B. Password file
- C. Inactive online redo log file
- D. Archived log files required to perform recovery
- E. Newly created tablespace which is not backed up

Answer: A,D

Explanation:

The RESETLOGS options is required in:

1. Incomplete Recovery
2. Change of control file So that, the control file and archived redo logs are required.

QUESTION:9

User SCOTT wants to back out the transactions on the REGIONS table in his schema. As a DBA, which commands must you execute to enable SCOTT to flash back the transactions?

- A. ALTER DATABASE FLASHBACK ON;
- B. GRANT SELECT ANY TRANSACTION TO scott;
- C. GRANT EXECUTE ON dbms\_flashback TO scott;
- D. ALTER DATABASE ADD SUPPLEMENTAL LOG DATA;
- E. ALTER TABLESPACE undots1 RETENTION GUARANTEE;
- F. ALTER DATABASE ADD SUPPLEMENTAL LOG DATA (PRIMARY KEY) COLUMNS;

Answer: B,C,D,F

QUESTION:10

The DB\_BLOCK\_CHECKING parameter is set to FULL.

What checks occur each time the DBWnprocess(es) writes?

- A. The Oracle database will check all data blocks by going through the data on each block, making sure the data is self-consistent.

- B. The DBWn and the direct loader will calculate a checksum and store it in the cache header of every data block when writing it to disk.
- C. The Oracle database will check data blocks belonging to the SYSTEM tablespace only, by going through the data on each block, making sure the data is self-consistent.
- D. The Oracle database will check data blocks belonging to the SYSAUX tablespace only, by going through the data on each block, making sure the data is self-consistent.
- E. The Oracle database will check data blocks in the SYSTEM and SYSAUX tablespaces only, by going through the data on each block, making sure the data is self-consistent.

Answer: A