

Exam Number/Code:600-211

Exam Name: Implementing Cisco
Service Provider Mobility CDMA
Networks (SPCDMA)

Version: Demo

QUESTION: 1

Which interface carries signaling information between PCF and PDSN?

- A. A8
- B. A9
- C. A10
- D. A11

Answer: D

QUESTION: 2

Which underlying protocol is used for RADIUS messages in CDMA?

- A. TCP
- B. SCTP
- C. UDP
- D. ICMP

Answer: C

QUESTION: 3

Which protocol is used during PPP negotiation to assign an IP address to the mobile device for a simple IP call?

- A. LCP
- B. IPCP
- C. CHAP
- D. EAP

Answer: B

QUESTION: 4

Which is an attribute in MIP RRQ?

- A. Correlation ID
- B. NAS-Identifier
- C. Framed-IP-Address

- D. Care-of-Address
- E. Framed-Interface-ID

Answer: D

QUESTION: 5

Which bit in HA Registration Revocation message is used by PDSN/FA to determine Mobile notification?

- A. 'A' bit
- B. 'I' bit
- C. 'M' bit
- D. 'R' bit

Answer: B

QUESTION: 6

What interface uses PMIPv6?

- A. S1
- B. S2a
- C. S6a
- D. STa

Answer: B

QUESTION: 7

Where does the UE/Mobile obtain its IPv6 prefix?

- A. The address prefix from HSGW VSNCP message
- B. The address prefix from HSGW Router Advertisement
- C. The address prefix from HSGW Neighbor Solicitation
- D. The address prefix from HSGW Router Solicitation

Answer: B

QUESTION: 8

Which two messages are used by Diameter Base Protocol? (Choose two.)

- A. Capabilities Exchange Request
- B. Capabilities Exchange Answer
- C. Device Exchange Request
- D. Device Exchange Answer
- E. Registration Request
- F. Registration Response

Answer: A,B

QUESTION: 9

Which two Transport layer protocols are used by Diameter Base Protocol? (Choose two.)

- A. TCP
- B. UDP
- C. DCCP
- D. SSDP
- E. RSVP
- F. SCTP

Answer: A,F

QUESTION: 10

Which task facility in the Cisco ASR 5000 maintains Diameter connections?

- A. diamproxy
- B. diameter
- C. demuxmgr
- D. connproxy

Answer: A