Exam Number/Code:C2010-538

Exam Name: IBM Tivoli Monitoring V6.2.2 Implementation

Version: Demo

QUESTION: 1

A customer wants fully autonomous monitoring for their operating systems which are

based in a placewith these restrictions:

image transmission bandwidth is in short supply

- disk space on the systems are very limited

- Only Exception reporting is needed

- Java is not allowed on the servers

The traditional operating system agents (the knt, klz, and kux agents that monitor the

Windows, Linux, and UNIX operating environments) cannot be used directly.

Which statement is true in order to meet the customer's requirements?

A. IBM Tivoli Monitoring (ITM) will not be the right solution because of the relatively large

agent footprint.

B. ITM will not be the right solution because Java is required for all ITM agents to operate.

C. The traditional ITM operating system agents must be configured for Autonomous

Mode.

D. The customer will have to deploy the System Monitor Agents which provide

autonomous-only monitoring for their operating systems.

Answer: D

QUESTION: 2

What information must be collected in order toplan a Hub Tivoli Enterprise Monitoring

Server in an IBM Tivoli Monitoring V6.2.2 (ITM) implementation?

A. The location of the servers to be monitored.

B. Which applications are running on the monitored servers?

C. The number of servers and applications monitored by ITM.

D. How many users are logged into each of the monitored servers?

Answer: C

QUESTION: 3

What are two considerations before installing any IBM Tivoli Monitoring component in an environment where a single or multiple firewall(s) exist? (Choose two.)

- A. Open only one port on the firewall(s).
- B. Opening as few ports on the firewall(s) as possible.
- C. The existing firewall(s) must be moved and/or uninstalled.
- D. Location of components to be installed relation to existing firewall(s).
- E. If a single or multiple firewall exists then the KDE gateway must be used.

Answer: B,D

QUESTION: 4

Which two pieces of information must be collected in order to select the appropriate monitoring agent? (Choose two.)

- A. Theapplications to be monitored.
- B. The firewalls in the company's network.
- C. The size of the data warehouse database.
- D. The operating system of the servers to be monitored.
- E. The operating system of the Tivoli Enterprise Monitoring Server.

Answer: A,D

QUESTION: 5

According to the IBM Tivoli Monitoring V6.2.2 Installation and Setup Guide, what is the maximum number of agents that a remote Tivoli Enterprise Monitoring Server (RTEMS) can handle?

A. 500

B. 1500

C. 2500

D. 3500

Answer: B

QUESTION: 6

When planning to deploy a KDE Gateway, which two IBM Tivoli Monitoring components must be configured to add the KDE Gateway configuration? (Choose two.)

- A. Warehouse Proxy Agent
- B. Tivoli Enterprise Portal Server
- C. Tivoli Enterprise Monitoring Agent
- D. Tivoli Enterprise Monitoring Server
- E. Summarization and Pruning Agent

Answer: C,D

QUESTION: 7

Which protocol can an agent use to send messages to an event management system when the agent is running in Autonomous mode?

- A. XML
- B. SSH
- C. SOAP
- D. SNMP

Answer: D

QUESTION: 8

An agentless monitoring server is installed with these active agentless monitor instance types started: 2 AIX, 2 Linux, 2 Solaris, 2 Windows. What is the maximum number of systems that can be monitored?

- A. 8
- B. 80
- C. 800
- D. 8000

Answer: C

QUESTION: 9

Which three database products are supported for the Tivoli Data Warehouse database? (Choose three.)

- A. Derby
- B. Oracle
- C. Sybase
- D. MS SQL
- E. IBM DB2
- F. IBM Informix

Answer: B,D,E

QUESTION: 10

Which two items can be specified while configuring a Tivoli Enterprise Monitoring Server (TEMS)? (Choose two.)

- A. TEMS gateways
- B. configure Hot Standby TEMS
- C. Tivoli Event Integration Facility
- D. hostname of the data warehouseserver
- E. hostname of the Tivoli Enterprise Portal Server

Answer: B,C